



VALVULAS DE ESFERA



FIGURA	DESCRIPCION Y DIMENSIONES	CODIGO	MEDIDA	PESO	CAJA CARTÓN	P.V.P €
--------	---------------------------	--------	--------	------	-------------	---------

ART. 2012
VALVULA ESFERA PASO TOTAL 2 PIEZAS
 CONST.: AISI 316 - JUNTAS Y ASIENOS PTFE+FV
 EXTREMOS: ROSCA GAS DIN - 259
 PN - 63 (1000 PSI WOG) TEMP. -25°C + 180°C
 MANDO MANUAL POR PALANCA

R	P	A	L	M	Factor Cv
1/4"	11	50	49	97	5,4
3/8"	12,7	54	54	105	6
1/2"	15,0	57	57	105	16,3
3/4"	20,6	63	64	120	29,5
1"	25,4	79	79	150	43
1 1/4"	31,8	90	90	150	89
1 1/2"	38,1	105	105	185	230
2"	50,8	124	125	185	265
2 1/2"	65	161	160	255	540
3"	80	186	185	260	870



2012 02	1/4"	0,247	12-72	15,60
2012 03	3/8"	0,220	12-72	15,80
2012 04	1/2"	0,314	12-72	15,80
2012 05	3/4"	0,488	8-48	20,17
2012 06	1"	0,740	4-24	27,81
2012 07	1 1/4"	1,152	2-12	41,91
2012 08	1 1/2"	2,012	6-12	62,84
2012 09	2"	2,890	3-6	90,00
2012 10	2 1/2"	6,450	1-4	177,38
2012 11	3"	10,400	1-2	280,56

ART. 2014
VALVULA ESFERA PASO TOTAL 2 PIEZAS
 CONS. ACERO INOX. DIN 1.4408 (ASTM A351 CF 8M SS.316)
 MICROFUSIÓN, JUNTAS Y ASIENOS: PTFE + 15% FV
 TÓRICA EJE VITÓN
 PN 63, TEMP: -25°C + 180°C. MANDO MANUAL POR PALANCA CON SISTEMA DE BLOQUEO.

DN	A	M	L
1/4"	50	104	44,5
3/8"	50	104	44,5
1/2"	51,5	104	55
3/4"	62	122	70,5
1"	65	122	82,5
1 1/4"	82	180	91
1 1/2"	88	205	103
2"	106	219	120
2 1/2"	119	240	152
3"	135	275	172



2014 02	1/4"	0,207	15-90	13,57
2014 03	3/8"	0,195	15-90	13,74
2014 04	1/2"	0,237	12-72	13,74
2014 05	3/4"	0,442	8-48	17,54
2014 06	1"	0,606	4-24	24,19
2014 07	1 1/4"	1,084	2-12	36,44
2014 08	1 1/2"	1,544	6-12	54,64
2014 09	2"	2,648	3-6	78,26
2014 10	2 1/2"	4,707	1-4	154,24
2014 11	3"	7,288	1-2	243,97

ART. 2015
VALVULA ESFERA PASO TOTAL 2 PIEZAS
 CONST.: AISI 316 - JUNTAS Y ASIENOS PTFE+FV
 EXTREMOS: ROSCA GAS DIN - 259 TÓRICA EJE: VITÓN
 PN - 63 (1000 PSI WOG) TEMP. -25°C + 180°C
 MANDO MANUAL POR PALANCA
 MONTAJE DIRECTO S/ISO 5211
 CON SISTEMA DE BLOQUEO

Medida	A	M	L	ISO 5211
1/4"	62	112	50	F-03
3/8"	62	112	50	F-03
1/2"	63	112	55	F-04
3/4"	70	138	75,5	F-04 / F-05
1"	70	160	83	F-04 / F-05
1 1/4"	88	160	91	F-05 / F-07
1 1/2"	94	205	102	F-05 / F-07
2"	100	205	120	F-05 / F-07
2 1/2"	145	330	155	F-07 / F-10
3"	157	330	182	F-07 / F-10

2015 02	1/4"	0,296	10-60	21,98
2015 03	3/8"	0,296	10-60	21,98
2015 04	1/2"	0,350	8-48	22,59
2015 05	3/4"	0,625	4-24	33,27
2015 06	1"	0,780	4-24	44,64
2015 07	1 1/4"	1,355	2-12	64,31
2015 08	1 1/2"	1,906	2-6	82,30
2015 09	2"	2,830	1-6	115,30
2015 10	2 1/2"	7,000	1-4	252,36
2015 11	3"	10,350	1-2	351,90

ART. 2025
VALVULA ESFERA PASO TOTAL 3 PIEZAS
ROSCA GAS DIN 259
 CONST.: ACERO INOX. CF8M (316) MICROFUSION
 JUNTAS Y ASIENOS PTFE+15% FV. TÓRICA EJE: VITÓN
 PN - 63 (1000 PSI WOG) TEMP. -25°C + 180°C
 PN - 10 (150 PSI WSP) TEMP.+ 180°C
 MONTAJE DIRECTO S/ISO 5211
 CON SISTEMA DE BLOQUEO

R	P	L	A	M	ISO 5211
1/4"	11	49,6	60	112	F-03
3/8"	12,7	49,6	60	112	F-03
1/2"	15	56	60	112	F-04
3/4"	20	73	70	138	F-04 / F-05
1"	25	82	70	138	F-04 / F-05
1 1/4"	32	91	88	160	F-05 / F-07
1 1/2"	40	104	94	205	F-05 / F-07
2"	50	120	100	205	F-05 / F-07
2 1/2"	65	155	150	330	F-07 / F-10
3"	80	182	165	330	F-07 / F-10
4"	100	225	175	340	F-07 / F-10

2025 02	1/4"	0,390	10-60	17,33
2025 03	3/8"	0,380	10-60	17,33
2025 04	1/2"	0,440	8-48	20,02
2025 05	3/4"	0,820	4-24	28,88
2025 06	1"	1,020	4-24	35,81
2025 07	1 1/4"	1,790	2-12	51,98
2025 08	1 1/2"	2,460	4-8	67,77
2025 09	2"	3,470	2-4	87,79
2025 10	2 1/2"	8,500	1-4	199,78
2025 11	3"	12,400	1-2	279,70
2025 12	4"	21,350	1-1	459,50